

# Glass Veil Joint Tape for Plasterboard **FibaFuse<sup>®</sup> Light & Slim**



- Alkali resistant fibreglass
- Specially designed to be easily compatible with all compounds to create superb joint strength
- Flexibility, easy installation and cost savings
- No blisters, no bubbles, no need to soak in water before use





## HOW TO APPLY ADFORS FibaFuse®

1. Cover the joint with a thin coat of plaster (5–10 cm wide)
2. Apply the FibaFuse® tape directly onto joints
3. Cover the fabric completely with a second thin coat of plaster
4. To finish, recover with a further coat of plaster (15–20 cm wide)



**FibaFuse®** non-woven drywall tape offers an economic alternative to traditional paper tape while maintaining superb mechanical properties thanks to its fibreglass origin. Its porous design allows compound to flow through the tape and adhere to the wall — eliminating the risk of blisters or bubbles and decreasing the drying time. Unlike paper tape, **FibaFuse® Light & Slim** tapes are naturally mold and mildew resistant.

### OTHER BENEFITS INCLUDE:

- Suitable for complicated, curved shapes
- Perfect for sanding — tape remains invisible even under a low layer of compound
- Mold resistant
- Ideal for use with airless plaster finishing systems

### USES:

- Drywall joints
- Drywall finishing
- Crack repair

SKU	Roll	m <sup>2</sup> / roll	Rolls / box	Rolls / pallet
FDW0738-C	50 mm × 25 m	1,25	48	1 248
FDW0739-C	50 mm × 75 m	3,75	24	648
FDW0691-C	50 mm × 150 m	7,50	8	280

  
**SAINT-GOBAIN**

SAINT-GOBAIN ADFORS CZ s.r.o.  
Sokolovská 106  
570 01 Litomyšl • Česká republika  
Tel.: + 420 461 651 111  
Fax: + 420 461 651 350  
[www.adfors.com](http://www.adfors.com)



[www.adfors.com](http://www.adfors.com)



09 • CZ00012661  
P – 3 – FLEECE TAPE  
DOP – 3 – FLEECE TAPE – 01  
Glass fibre joint tape for gypsum  
plasterboards • Characteristics  
& performance • Reaction to fire: F  
Tensile strength: ok = 3 N/mm  
Resistant to dampness:  
ok = 2 N/mm 26 %  
Harmonised technical specification:  
ETA-09/0076 • Notified body: 1020