

# Declaration of performances

DOP – 2 – Glass Fibre Wall Covering – 03

1.	Unique identification code of the product-type:	P – 2 – Glass Fibre Wall Covering
2.	Product:	Glass Fibre Wall Covering
3.	Intended use of construction product:	Decorative wall coverings – roll and panel form products
4.	Manufacturer:	- SAINT-GOBAIN ADFORS CZ, s.r.o. Sokolovská 106, 570 21 Litomyšl, Czech Republic
5.	System of assessment:	System 1
6.	Information about harmonised standard and notified body:	TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p., notified body 1020 performed an initial fire resistance test, certification according to EN 15102:2007+A1:2011 and issued certificate nr. 1020-CPR-003-001083, date 16.9.2013

Declared performance:


Essential characteristics	Performance	Harmonised technical specification	
Reaction to fire class:	B-s1-d0 (on plasterboard attached with starched-based glue)	EN15102:2007+A1:2011	
Release of formaldehyde:	Passed		
Release of other dangerous substances:			
Heavy metals and specific elements	Antimony		<4.00 ppm
	Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium		Passed
Vinyl chloride monomer	Passed		
Sound absorption	NPD		
Thermal resistance	NPD		

In Litomyšl, date 28/2/2018



Miloš Pavliš, General Manager

CE mark:

		
11		
CZ00012661		
Identification code: P – 2 – Glass Fibre Wall Covering		
Ref. nr. of DoP: DOP – 2 – Glass Fibre Wall Covering – 03		
Glass Fibre Wall Covering		
Essential characteristics	Performance	
Reaction to fire class:	B-s1-d0 (on plasterboard attached with starched-based glue)	
Release of formaldehyde:	Passed	
<b>Release if other dangerous substances</b>		
Heavy metals and specific elements	Antimony	< 4,00 ppm
	Arsenic	Passed
	Barium	Passed
	Cadmium	Passed
	Chromium	Passed
	Lead	Passed
	Mercury	Passed
	Selenium	Passed
	Vinyl chloride monomer	Passed
Sound absorption	NPD	
Thermal resistance	NPD	
Harmonised technical specification	EN15102:2007+A1:2011	
Notified body	1020	

COMPANY NAME